



**「Inclusion –  
playing together」**





» **It is normal to be different. There is no norm for being human.** «

*Richard von Weizsäcker  
Former President of the Federal  
Republic of Germany*

Introduction .....	4
Play equipment for children under 3 years .	14
Play equipment for children over 3 years....	24
Themed play units .....	30
Play houses .....	36
Water, mud, sand .....	40
Swings .....	50
Carousels .....	64
Seesaws and spring rockers.....	68
Additions .....	72
Postscript .....	82





Children need play and movement to grow up healthy. This helps them develop their motor, cognitive and social skills, strengthen their own body awareness, physical well-being and self-esteem. In a benevolent environment, without exclusion, having fun together, meeting challenges, exploring possibilities, experiencing limits - these are ideal conditions for children and young people to develop and learn.

In cooperation with experts for education and safety and our enthusiastic team of specialists for the design and technical implementation of imaginative, high-quality and sustainable playground equipment, we would like to implement our mission statement „Encourage children, challenge teenagers, accompany adults.“ in line with the principle of inclusion. Our aim is to make access possible for everyone, to welcome them and especially to promote interaction.

For your eibe outdoor and indoor play areas, we create concepts that promote the development of children with their different abilities according to the latest pedagogical findings and provide strong ideas for playing together and having fun. eibe play equipment invites everyone to have fun together.

When developing an inclusive playground concept, we are concerned with perceiving the different abilities of the children and responding to their needs. An inclusive playground is accessible to all children without barriers. It offers every child, whether with or without a disability, play elements that encourage discovery, creative play and movement, as well as providing individual challenges and promoting togetherness. As an innovative and experienced manufacturer of playground worlds, eibe wants to contribute to removing man-made barriers to play, sport and learning.

**Playing together - in the nursery, at school, on the playground.**

» **When children experience something through play, the learning effect is faster and more sustainable.** «

*Prof. Dr. Rolf Schwarz - Dipl.-Päd., graduate pedagogue, professor at the University of Education in Karlsruhe*

**Types of disabilities and associated challenges**

PERCEIVING DIFFERENCES - RESPECTING NEEDS - REMOVING BARRIERS

Children with hearing impairments or deafness



Children with impaired vision or blindness

Children with physical disabilities



Children with cognitive impairments, autism

Children with different types of disabilities also have special challenges to overcome when playing.





For children and adolescents with hearing impairments or deafness, the following activities pose particular challenges:

- Speed and coordination games
- Balance exercises
- Making contact with others
- Timely perception of dangers

Inclusive play spaces that take these challenges into account reduce the risk of isolation, promote social participation and prevent physical inactivity.

## Impairment of hearing or deafness

## Inclusive playroom design – play

Intensive design with colours, shapes and symbols is of particular importance in an inclusive playground. Pictorial and colour symbols on the playground and on the playground equipment itself make it easier for children with impaired hearing to recognise dangers and enable them to react more quickly. A harmonious colour scheme increases the stimulating character.

Play elements such as a painting board, mirror or arithmetic game facilitate contact and communication. Play structures with different levels of difficulty offer challenge and reward at the same time, promote independence and generate self-confidence.

When playing with water and sand, all children, with or without disabilities, train their motor skills. Muddling and digging together with others creates a feeling of belong-

ing. Experiencing movement on the swings, see-saws and carousels creates a positive body feeling and promotes the sense of balance.

Retreat possibilities are important on every playground: a playhouse enables quiet play, conveys security and invites social role play.

Elementary sensory impressions of wind, warmth, cold, light, shadow and smell are important for all children. In the outdoor playground, this can be experienced and grasped at first hand. Sand, water, play elements made of different materials, shapes and weights – there is something for everyone here that awakens curiosity, trains motor skills, stimulates creativity and encourages discovery.

Play spaces with acoustic and tactile orientation aids

## Impaired vision or blindness



Visual impairments have a variety of effects on the different developmental areas of children and adolescents:

- Developmental delay of gross and fine motor skills
- Disturbances of balance
- Development of static movement patterns
- Problems with spatial orientation
- Fear of movement
- Due to the lack of visual stimuli from the environment, children with visual impairments have less incentive to imitate and thus a less pronounced curiosity.
- Visual limitations can lead to a lack of movement.

## fun with all senses

(sound fence, use of tactile floor materials) enable independent exploration of the space. Acoustic and colour-contrasting play elements in primary colours, generously distributed throughout the play space, convey a sense of space, encourage movement and support encounters and interaction. The installation of safety elements such as guardrails and railings reduces the fear of movement and makes the play equipment fun to play on, even for children with visual impairments.

To avoid sensory overload, areas for quiet play are an important component of the inclusive playground. Playhouses, tactile and sound games or, for example, a hammock for dreaming help to avoid stress.





# Impairments of the ability to move



- The many physical and cognitive challenges of children and young people with mobility impairments include:
- limited mobility
  - spastic movement disorders
  - disturbances in gross and fine motor skills
  - less strength and endurance, balance problems
  - Man-made or natural obstacles make it difficult or impossible for them to access things with a wheelchair or walker.
  - Cognitive impairments such as attention, memory and concentration difficulties, especially in children and young people with multiple impairments, make it difficult for them to socialise and integrate socially.
  - There is a great need for support and attention.



- Children and adolescents with impairments of mental development or autism show inconsistent and very individual manifestations in the different areas of development:
- Learning processes are slowed down.
  - There is a need for support and assistance in the areas of perception, motor skills, language, independent thinking and acting, but also self-assessment and self-control.
  - Often the children's learning and living situation is further complicated by multiple disabilities.
  - Different behavioural problems such as attention deficits, hyperactivity, tic disorders or obsessive-compulsive disorders.
  - Pronounced need for contact
  - Intensive visual and auditory perception or high sensitivity.



# Cognitive impairment and autism

## Inclusive play space – a barrier-free

Inclusion pedagogically well thought-out playground concepts offer versatile play areas with different levels of difficulty on different play levels, which encourage children with the most diverse abilities and limitations to play together, convey fun in movement and promote motor and social development. Play elements that are installed at ground level and can be operated autonomously, such as arithmetic games, play counters or sound games, enable independent use without having to climb onto the equipment and thus strengthen self-confidence and social interaction.

Low platforms, ramps and wide platforms with handholds facilitate access even with wheelchairs or walking aids. Railings, fall protection and anti-tippers provide safety. Good visibility and quick accessibility by attendants and supervisors are made possible by ladder ascents,

stairs and transparent parapet elements. Equipment specially developed for children with physical disabilities, such as an integration carousel for wheelchair users or a swing with various swing seats, are a perfect addition to an inclusive play space.

The inclusion of special needs education aspects in the conceptual design of an inclusive play space can support the complex task of school-based support for children and young people with learning difficulties in a playful way. For example, themed play facilities stimulate the imagination and contribute to language development and social-emotional development. Playground equipment with gymnastics, climbing and balancing elements in various degrees of difficulty is challenging, conveys the joy of movement, and strengthens self-esteem and body awareness. Motor activity

## er-free play offer for everyone

stations take into account a child's own personality and individual pace of development and learning. This encourages initiative and independence. Elements such as a painting board, slide rule, colouring game or mirror support intellectual development.

Barrier-free rest areas with playhouses, hammocks or a small sound garden also offer opportunities for retreat, protection from sensory overload, restlessness and noise.

» **That disability is only understood as diversity, that is a goal we must strive for.**




*Richard v. Weizäcker  
former President of the Federal Republic of Germany*




# For me, accessibility means: perceiving boundaries, defining them as a task and moving them.

Prof. Dr Ulrich Heimlich,  
Chair of Education for Learning Disabilities Ludwig Maximilian University Munich




A selection of play activities for children with disabilities can be found at this customised play structure. Contact us - we will customise your individual play structure.

Contact us for more information



In addition to the inclusive design of the play equipment itself, the surrounding terrain is equally important when planning inclusive play space. This makes play facilities not only accessible from the inside, but also playable from the outside.







**Today, we know that all areas of the child's development are addressed during joint play. This is important for children who have special needs in individual areas as well as for children without special needs. By benefiting from their different abilities and interests, the central inclusive principle of learning from each other becomes effective.**


*Prof. Dr Ulrich Heimlich  
Chair of Education for Learning Disabilities Ludwig Maximilian University Munich*

# Inclusion, integration and

Acquiring the world through play with others, gaining new perceptual experiences, training action activities, learning to deal with diversity, showing consideration and asserting oneself – these are intensive learning processes in the first years of a person's life. The principle of inclusion supports this in a particularly positive way. The focus of inclusive play situations is on shared play inspired by the imagination, which is creatively enriched by the diversity of the children.

crucial when it comes to enabling children, regardless of their individual abilities and social and cultural identity, to participate in everyday life, in the nursery, school or on the playground. We at eibe would like to contribute to the implementation of participation on the playground: with barrier-free playground equipment and inclusion-oriented planning concepts that take into account the diverse needs and abilities of children, with and without disabilities, and translate them into play values.

An environment that is as barrier-free as possible is



# accessibility

In order to remove barriers on the playground as far as possible and make it usable for all children, wheelchair-accessible combination playgrounds, an integration swing with different swing seats and an integration carousel were developed, among other things. Elements such as tactile or sound games are particularly appealing to children with hearing and visual impairments or cognitive limitations.

When designing play areas, we place special emphasis on the versatile usability of the equipment, including the incorporation of the surroundings and the ground surfaces of the play area. Sufficient retreats for rest and relaxation of the playing children as well as seating for parents and accompanying persons are taken into account in the planning. But not only design and play value are important to us, safety and sustainability of our playground equipment are equally important.

The inclusion-oriented design of a play space is as

diverse and individual as the children themselves. Our aim is not only to enable integration with attractive play equipment, but also to make inclusive play a normal part of play through differentiated and creative planning of play spaces.

eibe supports you in the implementation of your ideas for an inclusive play space with advice, expertise, an extensive product selection and enthusiasm.

Playgrounds are places of encounter – playing together, learning from each other, self-determined, equal, without exclusion and barrier-free.





Elbkinder daycare centre, Hamburg







Hullabazoo Play Area Whipsnade







Wetterhäuschen daycare centre, Neuss





# Play equipment for children under 3 years



play boards  
playable from inside  
and outside



## minimondo play unit Balloon ride

### Info box

Minimum space:	550x440x224 cm
Free falling height:	44 cm
Impact protection net:	7,5 m <sup>2</sup>
Foundations:	8x CF or 3x PFs + 5x PFr

5 59 859 011 00	SW pi
① 5 59 859 031 00	Larch natural
5 59 859 041 00	Larch GL, larch







**ecorino**  
play unit Kamet, solo

Info box	
Minimum space:	757x541x275 cm
Free falling height:	58 cm
Impact protection net:	25,5 m <sup>2</sup>
Foundations:	13x CF or 13x PFs

- ① 5 11 515 011 00 SW pi
- ② 5 11 515 031 00 Larch natural
- 5 11 515 041 00 Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

① 5 40 186 101 31	GFRP iguana	PH 60 cm
② 5 40 186 111 31	GFRP iguana & SSt coat	PH 60 cm
③ 5 40 186 121 00	Stainless steel	PH 60 cm

touch, feel  
and discover



**minimondo**  
play unit Butterfly

Info box	
Minimum space:	762x527x200 cm
Free falling height:	20 cm
Impact protection net:	34,5 m <sup>2</sup>
Foundations:	9x CF or 9x PFs or 9x PFR

5 59 851 001 00 SW pi



**playo play unit Lisa**

Info box	
Minimum space:	502x485x275 cm
Free falling height:	58 cm
Impact protection net:	17,5 m <sup>2</sup>
Foundations:	11x CF or 11x PFs

- ① 5 11 001 011 10 SW pi
- 5 11 001 031 10 Larch natural
- ② 5 11 001 041 10 Larch GL, larch







**ecorino**  
play unit Hagen, solo

**Info box**

Minimum space:	763x458x255 cm
Free falling height:	58 cm
Impact protection net:	26,0 m <sup>2</sup>
Foundations:	9x CF or 9x PFs

5 11 521 011 00	SW pi
① 5 11 521 031 00	Larch natural
② 5 11 521 041 00	Larch GL, larch

Please order the slide separately



Please choose your add-on slide:

A 5 40 186 101 31	GFRP iguana	PH 60 cm
B 5 40 186 111 31	GFRP iguana & SSt coat	PH 60 cm
C 5 40 186 121 00	Stainless steel	PH 60 cm



horizontal and vertical holding options

training coordination at the step transition



**playo**  
play unit Mia, solo


**Info box**

Minimum space:	711x375x275 cm
Free falling height:	95 cm
Impact protection net:	20,0 m <sup>2</sup>
Foundations:	6x CF or 4x PFs

5 11 003 011 10	SW pi
5 11 003 031 10	Larch natural
① 5 11 003 041 10	Larch GL, larch



Please order the slide separately



Please choose your add-on slide:

A 5 40 185 101 22	GFRP grey	PH 95 cm
B 5 40 185 111 22	GFRP grey & SSt coat	PH 95 cm
C 5 40 185 121 00	Stainless steel	PH 95 cm



**ecorino**  
play unit Jannu, solo

**Info box**

Minimum space:	739x597x300 cm
Free falling height:	95 cm
Impact protection net:	26,5 m <sup>2</sup>
Foundations:	15x CF or 11x PFs

5 11 517 011 00	SW pi
① 5 11 517 031 00	Larch natural
5 11 517 041 00	Larch GL, larch




Please order the slide separately



Please choose your add-on slide:

A 5 40 185 101 31	GFRP iguana	PH 95 cm
B 5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
C 5 40 185 121 00	Stainless steel	PH 95 cm





**ecorino**  
play unit Dom, solo

**Info box**

Minimum space:	668x539x300 cm
Free falling height:	95 cm
Impact protection net:	23,0 m <sup>2</sup>
Foundations:	9x CF or 7x PFs

- ① 5 11 502 011 00 SW pi
- ② 5 11 502 031 00 Larch natural
- 5 11 502 041 00 Larch GL, larch

Please choose your add-on slide:



- |                   |                        |          |
|-------------------|------------------------|----------|
| ① 5 40 185 101 31 | GFRP iguana            | PH 95 cm |
| ② 5 40 185 111 31 | GFRP iguana & SSt coat | PH 95 cm |
| ③ 5 40 185 121 00 | Stainless steel        | PH 95 cm |



Images show unit with steel hot-dip galvanised posts



**playo play unit Winni, Solo**

**Info box**

Minimum space:	868x741x325 cm
Free falling height:	145 cm
Impact protection net:	37,5 m <sup>2</sup>
Foundations:	12x CF or 12x PFs

- ① 5 11 011 011 10 SW pi
- 5 11 011 031 10 Larch natural
- ② 5 11 011 041 10 Larch GL, larch

Please choose your add-on slide:



- |                   |                      |           |
|-------------------|----------------------|-----------|
| ① 5 40 186 101 22 | GFRP grey            | PH 60 cm  |
| ② 5 40 186 111 22 | GFRP grey & SSt coat | PH 60 cm  |
| ③ 5 40 186 121 00 | Stainless steel      | PH 60 cm  |
| ① 5 40 101 101 22 | GFRP grey            | PH 145 cm |
| ② 5 40 101 111 22 | GFRP grey & SSt coat | PH 145 cm |
| ③ 5 40 101 121 00 | Stainless steel      | PH 145 cm |







**paradiso play  
unit Fjrlar, solo**

**Info box**

Minimum space:	760x551x275 cm
Free falling height:	95 cm
Impact protection net:	23,5 m <sup>2</sup>
Foundations:	11x CF

- ① 5 45 210 053 06 **Robinia oiled**
- ② 5 45 210 063 00 **Robinia natural**



Please choose your add-on slide:

① 5 40 185 101 31	<b>GFRP iguana</b>	<b>PH 95 cm</b>
② 5 40 185 111 31	<b>GFRP iguana &amp; SSt coat</b>	<b>PH 95 cm</b>
③ 5 40 185 121 00	<b>Stainless steel</b>	<b>PH 95 cm</b>




**paradiso motor  
activity station Adrian**

**Info box**

Minimum space:	464x390x220 cm
Free falling height:	40 cm
Impact protection net:	14,5 m <sup>2</sup>
Foundations:	2x PFs

- ① 5 45 298 051 00 **Robinia oiled**
- ② 5 45 298 061 00 **Robinia natural**



**paradiso  
motor activity station Amelie**

**Info box**

Minimum space:	452x390x220 cm
Free falling height:	40 cm
Impact protection net:	13,5 m <sup>2</sup>
Foundations:	3x PFs

- ① 5 45 297 051 00 **Robinia oiled**
- ② 5 45 297 061 00 **Robinia natural**



**paradiso play  
unit Winja**

**Info box**

Minimum space:	535x476x220 cm
Free falling height:	40 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	-

- ① 5 45 012 053 06 **Robinia oiled**
- ② 5 45 012 063 00 **Robinia natural**






# Play equipment for children over 3 years



perceive colours

create sound

Please order the slide separately!




unique play unit Ofelia, solo

**Info box**

Minimum space:	885x944x419 cm
Free falling height:	145 cm
Impact protection net:	50,0 m <sup>2</sup>
Foundations:	19x CF or 19x PFs

- ① 5 25 069 011 00 SW pi
- 5 25 069 031 00 Larch nature
- ② 5 25 069 041 00 Larch GL, larch
- 5 25 069 041 06 Larch GL green, Larch



Please choose your add-on slide:

A	GFRP iguana	PH 145 cm
B	GFRP iguana & SSt coat	PH 145 cm
C	Stainless steel	PH 145 cm





**unique play unit Lythea, solo**

**Info box**

Minimum space:	781x881x466 cm
Free falling height:	95 cm
Impact protection net:	39,0 m <sup>2</sup>
Foundations:	12x CF or 11x PFs + 1x Cf

5 25 149 011 00	SW pi
5 25 149 031 00	Larch natural
① 5 25 149 041 00	Larch GL, larch
5 25 149 041 06	Larch GL green, larch



Please choose your add-on slides:

Ⓐ 5 40 104 101 31	GFRP iguana	PH 145 cm
Ⓑ 5 40 104 121 00	Stainless steel	PH 145 cm

slide together




**ecorino play unit Mont Blanc**

**Info box**

Minimum space:	586x542x400 cm
Free falling height:	221 cm
Impact protection net:	23,0 m <sup>2</sup>
Foundations:	11x CF or 11x PFs

① 5 11 506 011 00	SW pi
5 11 506 031 00	Larch natural
5 11 506 041 00	Larch GL, larch



ascents with varying degrees of difficulty



**playo play unit Luca, solo**

**Info box**

Minimum space:	966x714x382 cm
Free falling height:	145 cm
Impact protection net:	42,0 m <sup>2</sup>
Foundations:	13x CF or 13x PFs

5 11 020 011 10	SW pi
5 11 020 031 10	Larch natural
① 5 11 020 041 10	Larch GL, larch



Please choose your add-on slide:

Ⓐ 5 40 104 101 22	GFRP grey	PH 145 cm
Ⓑ 5 40 104 121 00	Stainless steel	PH 145 cm







1

accessible by wheelchair

2

play counter for role play



**paradiso play unit Marja, solo**

Info box	
Minimum space:	815x575x350 cm
Free falling height:	145 cm
Impact protection net:	33,5 m <sup>2</sup>
Foundations:	8x CF

- ① 5 45 198 053 06 Robinia oiled
- ② 5 45 198 063 00 Robinia natural



Please choose your add-on slide:

A	5 40 101 101 31	GFRP iguana	PH 145 cm
B	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C	5 40 101 121 00	Stainless steel	PH 145 cm

Please order the slide separately!



**paradiso play unit Arne, solo**

Info box	
Minimum space:	832x747x289 cm
Free falling height:	95 cm
Impact protection net:	42,0 m <sup>2</sup>
Foundations:	11x CF

- ① 5 45 324 053 06 Robinia oiled
- 5 45 324 063 00 Robinia natural



Please order the slide separately



Please choose your add-on slide:

A	5 40 185 101 31	GFRP iguana	PH 95 cm
B	5 40 185 111 31	GFRP iguana & SSt coat	PH 95 cm
C	5 40 185 121 00	Stainless steel	PH 95 cm



**paradiso play unit Andor, solo**

Info box	
Minimum space:	1029x543x448 cm
Free falling height:	218 cm
Impact protection net:	37,5 m <sup>2</sup>
Foundations:	9x CF

- ① 5 45 368 053 06 Robinia oiled
- 5 45 368 063 00 Robinia natural



Please order the slide separately



Please choose your add-on slide:

A	5 40 101 101 31	GFRP iguana	PH 145 cm
B	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C	5 40 101 121 00	Stainless steel	PH 145 cm



**paradiso play unit Bent, solo**

Info box	
Minimum space:	1073x1054x470 cm
Free falling height:	145 cm
Impact protection net:	69,0 m <sup>2</sup>
Foundations:	13x CF

- ① 5 45 369 053 06 Robinia oiled
- 5 45 369 063 00 Robinia natural



Please choose your add-on slide:



A	5 40 101 101 31	GFRP iguana	PH 145 cm
B	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C	5 40 101 121 00	Stainless steel	PH 145 cm

Please order the slide separately



**paradiso play unit Nanna, solo**

Info box	
Minimum space:	1220x945x452 cm
Free falling height:	145 cm
Impact protection net:	71,0 m <sup>2</sup>
Foundations:	25x CF

- ① 5 45 370 053 06 Robinia oiled
- 5 45 370 063 00 Robinia natural



Please order the slide separately



Please choose your add-on slide:

A	5 40 101 101 31	GFRP iguana	PH 145 cm
B	5 40 101 111 31	GFRP iguana & SSt coat	PH 145 cm
C	5 40 101 121 00	Stainless steel	PH 145 cm






# Themed play units






## unique play unit Katamaran

Info box	
Minimum space:	802x697x545 cm
Free falling height:	149 cm
Impact protection net:	41,0 m <sup>2</sup>
Foundations:	7x CF or 8x PFs + 4x PFI

- ① 5 59 153 011 00 SW pi
- 5 59 153 031 00 Larch nature
- ② 5 59 153 041 00 Larch







**unique sand  
wreck Bounty complete**

Info box	
Minimum space:	1921x1041x421 cm
Free falling height:	205 cm
Impact protection net:	92,5 m <sup>2</sup>
Foundations:	3x CF or 25x PFs + 10x PFI

① 5 66 313 5	SW pi
② 5 66 313 031 00	Larch nature
5 66 313 041 00	Larch GL, larch

**(A)  
unique sand  
wreck Bounty Bow**

Info box	
Minimum space:	747x590x389 cm
Free falling height:	199 cm
Impact protection net:	37,0 m <sup>2</sup>
Foundations:	1x CF or 6x PFs + 6x PFI

5 66 310 5	SW pi
5 66 310 031 00	Larch nature
5 66 310 041 00	Larch GL, larch

**(B)  
unique sand  
wreck Bounty Mast**


Info box	
Minimum space:	647x705x421 cm
Free falling height:	205 cm
Impact protection net:	28,5 m <sup>2</sup>
Foundations:	1x CF or 5x PFs + 4x PFI

5 66 312 5	SW pi
5 66 312 031 00	Larch nature
5 66 312 041 00	Larch GL, larch

**(C)  
unique sand  
wreck Bounty Stern**

Info box	
Minimum space:	520x585x399 cm
Free falling height:	150 cm
Impact protection net:	27,0 m <sup>2</sup>
Foundations:	1x CF or 14x PFs

5 66 311 5	SW pi
5 66 311 031 00	Larch nature
5 66 311 041 00	Larch GL, larch







**paradiso pirate ship Jago**

Info box	
Minimum space:	1230x740x340 cm
Free falling height:	190 cm
Impact protection net:	60,0 m <sup>2</sup>
Foundations:	24x CF

- ① 5 45 200 053 06 Robinia oiled
- ② 5 45 200 063 00 Robinia natural



**paradiso integrative play ship Ragnar**

Info box	
Minimum space:	1100x700x240 cm
Free falling height:	60 cm
Impact protection net:	75,0 m <sup>2</sup>
Foundations:	11x CF


- ① 5 45 347 053 06 Robinia oiled
- ② 5 45 347 063 00 Robinia natural



**paradiso little fishing boat Nola**

Info box	
Minimum space:	800x520x220 cm
Free falling height:	90 cm
Impact protection net:	36,0 m <sup>2</sup>
Foundations:	12x CF

- ① 5 45 247 053 06 Robinia oiled
- ② 5 45 247 063 00 Robinia natural



**paradiso play fish Lohi**

Info box	
Minimum space:	818x849x375 cm
Free falling height:	195 cm
Impact protection net:	44,0 m <sup>2</sup>
Foundations:	19x CF or 19x PFs

- ① 5 45 334 053 00 Robinia oiled
- ② 5 45 334 053 03 Robinia oiled
- ③ 5 45 334 063 00 Robinia natural



**paradiso tactile trail Dragon**

Info box	
Minimum space:	1020x500x225 cm
Free falling height:	45 cm
Impact protection net:	39,0 m <sup>2</sup>
Foundations:	-

- ① 5 45 257 053 00 Robinia oiled
- ② 5 45 257 063 00 Robinia natural







# Climbing units



①



**unique hexagonal system 210 with lying net**

Info box	
Minimum space:	Ø 626x378 cm
Free falling height:	198 cm
Impact protection net:	31,0 m <sup>2</sup>
Foundations:	8x CF or 3x PFs + 3x PFI

5 25 102 011 00	SW pi
5 25 102 031 00	Larch nature
5 25 102 041 00	Larch GL
① 5 25 102 041 06	Larch GL green



**balance rubber belt bridge Salsa**

Info box	
Minimum space:	111x425x345 cm
Free falling height:	50 cm
Impact protection net:	46,0 m <sup>2</sup>
Foundations:	6x CF

5 55 641 0	Rubber, steel
------------	---------------








### climbo climbing structure Terion

**Info box**

Minimum space:	734x719x350 cm
Free falling height:	145 cm
Impact protection net:	35,0 m <sup>2</sup>
Foundations:	4x CF

① 5 25 065 011 00 SW pi  
 5 25 065 031 00 Larch nature  
 ② 5 25 065 041 00 Larch GL  
 ③ 5 25 065 041 06 Larch GL green



### climbo climbing structure Yuna

**Info box**

Minimum space:	1125x572x420 cm
Free falling height:	240 cm
Impact protection net:	32,5 m <sup>2</sup>
Foundations:	9x CF or 5x PFI + 4x CF

5 25 909 011 00 SW pi  
 5 25 909 031 00 Larch natural  
 ① 5 25 909 041 00 Larch GL





### paradiso balance combination Kosawin

**Info box**

Minimum space:	1265x400x240 cm
Free falling height:	59 cm
Impact protection net:	45,0 m <sup>2</sup>
Foundations:	9x CF

① 5 45 178 053 06 Robinia oiled  
 5 45 178 063 00 Robinia natural




### paradiso play unit Duin

**Info box**

Minimum space:	1810x1580x345 cm
Free falling height:	190 cm
Impact protection net:	186,0 m <sup>2</sup>
Foundations:	42x CF

① 5 45 337 053 06 Robinia oiled  
 5 45 337 063 00 Robinia natural







Height 3 m



### Climbing pyramid 300

Info box	
Minimum space:	750x300 cm
Free falling height:	235 cm
Impact protection net:	44,5 m <sup>2</sup>
Foundations:	5x CF
<b>5 55 628 0</b>	<b>Steel</b>



### Climbing pyramid 450-95

Info box	
Minimum space:	Ø 874x450 cm
Free falling height:	95 cm
Impact protection net:	
Foundations:	9x CF
<b>5 55 656 0</b>	<b>Steel cable, steel</b>




Height 4.50 m



### Rope dome Maxi

Info box	
Minimum space:	1310x795x371 cm
Free falling height:	191 cm
Impact protection net:	81,0 m <sup>2</sup>
Foundations:	6x CF
<b>5 55 643 0</b>	<b>Steel powder., PP, PA, PE, VA</b>



Climbing supports the further development of body movement and the coordination of action sequences





**minimondo play house Apricot**

Info box	
Minimum space:	453x452x310 cm
Free falling height:	130 cm
Impact protection net:	19,0 m <sup>2</sup>
Foundations:	1x CF or 2x PFs + 1x PFr
<b>5 59 828 011 00</b>	<b>HPL</b>

# Play houses



**climbo Lodge Hawaii**

Info box	
Minimum space:	631x585x240 cm
Free falling height:	59 cm
Impact protection net:	-
Foundations:	8x CF or 8x PFs

- ① 5 25 129 011 00 SW pi
- ② 5 25 129 041 00 Larch GL







**paradiso little lake house Lago**

**Info box**

Minimum space:	571x531x264 cm
Free falling height:	149 cm
Impact protection net:	25,5 m <sup>2</sup>
Foundations:	8x CF

- ① 5 45 081 053 06 **Robinia oiled**
- ② 5 45 081 063 00 **Robinia natural**



**ecorino Seaside House unit**

**Info box**

Minimum space:	471x310x215 cm
Free falling height:	106 cm
Impact protection net:	5,0 m <sup>2</sup>
Foundations:	8x CF or 8x PFS

- 5 59 015 5 **SW pi**



**paradiso play house Piet**

**Info box**

Minimum space:	520x425x190 cm
Free falling height:	-
Impact protection net:	-
Foundations:	4x CF

- ① 5 45 340 053 06 **Robinia oiled**
- 5 45 340 063 00 **Robinia natural**



**paradiso play house Firuna**

**Info box**

Minimum space:	480x465x175 cm
Free falling height:	65 cm
Impact protection net:	22,0 m <sup>2</sup>
Foundations:	-

- ① 5 45 014 053 06 **Robinia oiled**
- 5 45 014 063 00 **Robinia natural**







# 「Water, mud, sand」



easily accessible,  
playable from inside  
and outside



## unique sand construction site Aves

Info box	
Minimum space:	745x600x275 cm
Free falling height:	90 cm
Impact protection net:	14,0 m <sup>2</sup>
Foundations:	16x CF or 16x PFs

- 5 25 124 011 00 SW pi
- ① 5 25 124 031 00 Larch nature
- 5 25 124 041 00 Larch GL, larch
- ② 5 25 124 041 06 Larch GL green, Larch



## paradiso sand construction site Sandro

Info box	
Minimum space:	650x650x239 cm
Free falling height:	59 cm
Impact protection net:	35,0 m <sup>2</sup>
Foundations:	13x CF

- ① 5 45 085 053 06 Robinia oiled
- 5 45 085 063 00 Robinia natural



Scope of delivery deviates from the image






### playo sand and mud play unit Ben

Info box	
Minimum space:	743x571x325 cm
Free falling height:	145 cm
Impact protection net:	31,5 m <sup>2</sup>
Foundations:	20x CF or 14x PFs + 3x CF

- ① 5 11 026 011 10 SW pi
- 5 11 026 031 10 Larch natural
- 5 11 026 041 10 Larch GL, larch



Please order the pump separately!



Please choose one of these pumps:



- Ⓐ 5 66 290 0 Stainless steel
- Ⓑ 5 57 051 0 Grey-cast



### playo platform with mud tub

Info box	
Minimum space:	567x399x238 cm
Free falling height:	58 cm
Impact protection net:	-
Foundations:	6x CF or 6x PFs

- ① 5 11 043 011 00 SW pi
- 5 11 043 031 00 Larch nature
- 5 11 043 041 00 Larch GL, larch



playable from inside and outside

Please order the slide separately!

easily accessible



### playo sand and mud play unit Jonas, solo

Info box	
Minimum space:	1267x1041x382 cm
Free falling height:	195 cm
Impact protection net:	71,0 m <sup>2</sup>
Foundations:	42x CF or 38x PFs + 4x PFr

- ① 5 11 044 011 00 SW pi
- 5 11 044 031 00 Larch natural
- ② 5 11 044 041 00 Larch GL, larch



Please choose your add-on slide:

- Ⓐ 5 40 102 101 22 GFRP grey PH 195 cm
- Ⓑ 5 40 102 111 22 GFRP grey & SSt coat PH 195 cm
- Ⓒ 5 40 102 121 00 Stainless steel PH 195 cm







### playo play unit Elsa, solo

Info box	
Minimum space:	1486x1121x357 cm
Free falling height:	145 cm
Impact protection net:	83,5 m <sup>2</sup>
Foundations:	36x CF or 34x PFs

- ① 5 11 025 011 10 SW pi
- 5 11 025 031 10 Larch nature
- 5 11 025 041 10 Larch GL, larch



Please order the slide separately!

Please order the pump separately!



Please choose one of these pumps:

- Ⓐ 5 66 290 0 Stainless steel
- Ⓑ 5 57 051 0 Grey-cast



Please choose your add-on slide:


- Ⓐ 5 40 101 101 22 GFRP grey PH 145 cm
- Ⓑ 5 40 101 111 22 GFRP grey & SSt coat PH 145 cm
- Ⓒ 5 40 101 121 00 Stainless steel PH 145 cm



### ecorino sand and mud play unit Gran Paradiso

Info box	
Minimum space:	818x634x245 cm
Free falling height:	45 cm
Impact protection net:	30,0 m <sup>2</sup>
Foundations:	20x CF or 18x PFs + 2x PFr

- 5 11 530 011 00 SW pi
- ① 5 11 530 031 00 Larch natural
- ② 5 11 530 041 00 Larch GL, larch



large sand play platform

①

②



### unique play unit Sala, solo

Info box	
Minimum space:	745x1112x416 cm
Free falling height:	145 cm
Impact protection net:	30,0 m <sup>2</sup>
Foundations:	17x CF or 17x PFs

- ① 5 25 150 011 00 SW pi
- 5 25 150 031 00 Larch natural
- ② 5 25 150 041 00 Larch GL, larch
- 5 25 150 041 06 Larch GL green, larch



①

②

Please order the slide separately!



### ecorino play unit Nan Shan, solo

Info box	
Minimum space:	1343x1004x325 cm
Free falling height:	145 cm
Impact protection net:	58,5 m <sup>2</sup>
Foundations:	39x CF or 34x PFs + 4x FFr

- 5 11 532 011 00 SW pi
- ① 5 11 532 031 00 Larch natural
- ② 5 11 532 041 00 Larch GL, larch


Please choose your add-on slide:

- Ⓐ 5 40 104 101 31 GFRP iguana PH 145 cm
- Ⓑ 5 40 104 121 00 Stainless steel PH 145 cm



Please choose your add-on slide:

- Ⓐ 5 40 185 101 31 GFRP iguana PH 95 cm
- Ⓑ 5 40 185 111 31 GFRP iguana & SSt coat PH 95 cm
- Ⓒ 5 40 185 121 00 Stainless steel PH 95 cm



Please choose your add-on slide:

- Ⓐ 5 40 101 101 31 GFRP iguana PH 145 cm
- Ⓑ 5 40 101 111 31 GFRP iguana & SSt coat PH 145 cm
- Ⓒ 5 40 101 121 00 Stainless steel PH 145 cm







### Water play unit Nevada

Info box	
Minimum space:	476x534x255 cm
Free falling height:	75 cm
Impact protection net:	19,5 m <sup>2</sup>
Foundations:	2x CF or 6x PFs

- ① 5 66 459 120 00 Stainless steel
- ② 5 66 445 120 00 Stainless steel, HPL



①

Please order the pump separately!



Please choose one of these pumps:

- A 5 66 290 0 Stainless steel
- B 5 57 051 0 Grey-cast



### Sand play table, wheelchair accessible

Info box	
Minimum space:	160x125x240 cm
Free falling height:	59 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs


- 5 59 149 5 SW pi



### Sand playing cottage Sun Bakery

Info box	
Minimum space:	498x500x183 cm
Free falling height:	41 cm
Impact protection net:	-
Foundations:	4x PFr

- 5 59 095 0 SW pi



### Sand play table Cloud

Info box	
Minimum space:	100x100x239 cm
Free falling height:	59 cm
Impact protection net:	-
Foundations:	3x CF or 3x PFs

- 5 66 407 0 Stainless steel



### Sand play table Star

Info box	
Minimum space:	58x55x239 cm
Free falling height:	59 cm
Impact protection net:	-
Foundations:	1x CF or 2x PFs

- 5 66 405 0 Stainless steel, HPL



### Sand play table Moon

Info box	
Minimum space:	55x80x239 cm
Free falling height:	59 cm
Impact protection net:	-
Foundations:	1x CF or 2x PFs

- 5 66 406 0 Stainless steel, HPL



### paradiso mud table Erlan, with post

Info box	
Minimum space:	Ø370x240 cm
Free falling height:	60 cm
Impact protection net:	11,0 m <sup>2</sup>
Foundations:	1x CF

- 5 45 022 053 06 Robinia oiled
- 5 45 022 063 00 Robinia natural



### Mud play table Shamrock

Info box	
Minimum space:	490x490x250 cm
Free falling height:	70 cm
Impact protection net:	-
Foundations:	4x CF or 4x PFs

- 5 57 060 5 SW pi






The eibe Palisade Sandpits create the very best conditions for playing in and with sand.



With integrated sand play table or also for sitting on



### playo Sandpit Sandy square 360

Info box	
Minimum space:	355x355x22 cm
Free falling height:	22 cm
Impact protection net:	30,5 m <sup>2</sup>
Foundations:	

- ① 5 11 080 011 00 SW pi
- 5 11 080 031 00 Larch natural
- 5 11 080 041 00 Larch oiled



### playo Sandpit Sandy square 260

Info box	
Minimum space:	254x254x22 cm
Free falling height:	22 cm
Impact protection net:	24,0 m <sup>2</sup>
Foundations:	

- ① 5 11 079 011 00 SW pi
- 5 11 079 031 00 Larch natural
- 5 11 079 041 00 Larch oiled

### playo Sandpit Sandy hexagon

Info box	
Minimum space:	414x471x22 cm
Free falling height:	22 cm
Impact protection net:	32,0 m <sup>2</sup>
Foundations:	

- ① 5 11 081 011 00 SW pi
- 5 11 081 031 00 Larch natural
- 5 11 081 041 00 Larch oiled



### Sand pit cover, square 260

5 59 092 0	PE
Size: 250x250 cm	
Scope of delivery: 1x sand pit cover: PE-grid fabric	

### Sand pit cover, square 360

5 59 093 0	PE
Size: 350x350 cm	
Scope of delivery: 1x sand pit cover: PE-grid fabric	



### Tarpaulins sqm

5 59 109 0	PE
Size: m <sup>2</sup>	
Scope of delivery: 1 sqm sandpit cover: PE screen (100% polypropylene)	



### paradiso solar panel Sonya, complete

Info box	
Minimum space:	369x369x291 cm
Free falling height:	-
Impact protection net:	-
Foundations:	4x CF

- ① 5 45 173 053 00 Robinia oiled
- 5 45 173 063 00 Robinia natural



### paradiso solar panel Simon, complete

Info box	
Minimum space:	469x469x291 cm
Free falling height:	-
Impact protection net:	-
Foundations:	4x CF

- ② 5 45 174 053 00 Robinia oiled
- ② 5 45 174 063 00 Robinia natural



### paradiso robinia trunk running metre

Ø 6-10 cm

- 5 45 367 053 06 Robinie geölt
- 5 45 367 063 00 Robinie natur

Ø 10-14 cm

- 5 45 019 053 06 Robinia oiled
- 5 45 019 063 00 Robinia natural

Ø 14-18 cm

- 5 45 017 053 06 Robinia oiled
- 5 45 017 063 00 Robinia natural

Ø 18-22 cm

- 5 45 020 053 06 Robinia oiled
- 5 45 020 063 00 Robinia natural

### foundation anchor for robinia trunk

For horizontal installation.

- 5 45 018 133 00 Steel



There are many possible uses for palisade trunks, for example as fencing, balancing beam, design element and more.

Please indicate the required quantity and heights as follows:

Height <1 m + dig-in depth 60 cm

Height >1 m + dig-in depth 80 cm






# Swings



## paradiso belly swing Leif

Info box	
Minimum space:	650x220x210 cm
Free falling height:	95 cm
Impact protection net:	13,0 m <sup>2</sup>
Foundations:	2x CF

- ① 5 45 333 053 06 Robinia oiled
- ② 5 45 333 063 00 Robinia natural



## minimondo double swing Lily of the Valley

Info box	
Minimum space:	675x359x200 cm
Free falling height:	93 cm
Impact protection net:	24,0 m <sup>2</sup>
Foundations:	6x CF or 6x PFs

- 5 59 834 5 SW pi
- 5 59 834 041 21 Larch GL green, larch




## parallel swinger

Info box	
Minimum space:	860x428x343 cm
Free falling height:	153 cm
Impact protection net:	21,5 m <sup>2</sup>
Foundations:	4x CF or 4x PFs

- ① 5 55 335 5 SW pi
- ② 5 55 335 031 00 Larch nature
- 5 55 335 041 00 Larch GL
- 5 55 335 041 06 Larch GL green



Horizontal swinging fun



Lying down and swinging together





**unique double swing Luna with swing seats**

Info box	
Minimum space:	775x310x316 cm
Free falling height:	129 cm
Impact protection net:	23,0 m <sup>2</sup>
Foundations:	4x CF

- ① 5 55 354 0 24 Steel powder. blue
- ② 5 55 354 0 25 Steel powder. grey



**youth circular swing Vogelburg**

Info box	
Minimum space:	Ø 810x460 cm
Free falling height:	70 cm
Impact protection net:	52,0 m <sup>2</sup>
Foundations:	3x CF

- ① 5 55 360 0 24 Steel powder. blue
- ② 5 55 360 0 25 Steel powder. grey



**ecorino double swing with swing seats**

Info box	
Minimum space:	333x800x330 cm
Free falling height:	137 cm
Impact protection net:	23,5 m <sup>2</sup>
Foundations:	4x CF

- 5 15 001 133 00 Steel galv.



**ecorinno swing with nest seat Ø 100 cm**

Info box	
Minimum space:	333x800x368 cm
Free falling height:	146 cm
Impact protection net:	20,0 m <sup>2</sup>
Foundations:	4x CF

- 5 15 002 133 00 Steel galv.



**unique circular swing with nest seat**

Info box	
Minimum space:	Ø 860x440 cm
Free falling height:	150 cm
Impact protection net:	52,0 m <sup>2</sup>
Foundations:	3x CF

- 5 55 359 0 24 Steel powder. blue
- ① 5 55 359 0 25 Steel powder. grey




**unique hexagonal swing**

Info box	
Minimum space:	Ø1240x320 cm
Free falling height:	149 cm
Impact protection net:	121,0 m <sup>2</sup>
Foundations:	6x CF

- 5 52 024 143 08 Steel powder. red
- ① 5 52 024 143 09 Steel powder. iguana



①



**Integration swing**

Info box	
Minimum space:	610x320x241 cm
Free falling height:	82 cm
Impact protection net:	-
Foundations:	-

- 5 64 005 0 24 Powdered steel blue
- ① 5 64 005 0 25 Powdered steel grey

Impact attenuati-  
on tile included!







**paradiso  
snake swing Hydra**

Info box	
Minimum space:	1200x366x296 cm
Free falling height:	150 cm
Impact protection net:	37,5 m <sup>2</sup>
Foundations:	8x CF

- ① 5 45 182 053 00 Robinia oiled
- ② 5 45 182 063 00 Robinia natural



①



**Safety swing seat for small children**

5 63 203 0 Steel, rubber



**Safety swing seat incl. chain**

5 63 207 0 Steel, rubber  
5 55 003 120 00 Stainless steel, rubber



**Safety swing seat, wide**

5 63 204 0 Steel, rubber

**Swing for kids and parents**

5 63 244 0 Stahl, VA, Gummi

This swing seat allows parents and children to swing together. For a suspension height of up to 235 cm with a seat height of 35 cm.

Size: 62x104x154 cm  
Scope of delivery: 1x stainless steel frame: stainless steel  
1x safety swing seat: rubber  
1x safety swing seat for toddlers: steel, rubber for suspension height up to 235 cm with a seat height of 35 cm

**Swing rope**

5 63 225 0 PP Fentex rope

Co-operation with other children is encouraged here. Size: Ø 15x215 cm  
Scope of delivery: 1x swing rope: PP-Fentex rope



**Nest seat, steel cable net mesh Ø 100 cm**

5 55 052 0 blue  
5 55 052 01 natural  
5 55 052 50 green

**Nest seat, steel cable net mesh Ø 120 cm**

5 55 627 0 blue  
5 55 627 01 natural  
5 55 627 50 green



**Nest seat rubber linked mat Ø 120 cm**

5 55 048 0 blue  
5 55 048 01 natural  
5 55 048 50 green



**Swing seat Hollywood Duo**

5 63 246 0 PES steel cable, VA

The Hollywood Duo swing seat provides a great swinging experience for children - whether alone, in pairs or in threes. Max. Suspension height 250 cm.  
Size: 140x66x140 cm  
Scope of delivery: 1x swing seat: PES steel cable, VA



**paradiso  
double swing combination Elon**

Info box	
Minimum space:	800x755x271 cm
Free falling height:	150 cm
Impact protection net:	57,0 m <sup>2</sup>
Foundations:	6x CF

- ① 5 45 127 053 06 Robinia oiled
- ② 5 45 127 063 00 Robinia natural

Extra high - over 5 metres!



**climbo swing Akiko**

Info box	
Minimum space:	1074x656x529 cm
Free falling height:	221 cm
Impact protection net:	36,5 m <sup>2</sup>
Foundations:	4x CF

- 5 25 903 013 00 SW pi
- 5 25 903 033 00 Larch natural
- ① 5 25 903 043 00 Larch GL



①



**Toddler swing seat Colour**

5 63 195 0 Steel rope

The particularly high edge and colourful design of the swing seat Color makes it perfect for toddlers  
Scope of delivery: 1x swing seat: plastic-coated steel cable



**Swing chair midi**

5 63 245 0 Steel galv., rubber, PES steel cable

Seat made of fabric-reinforced rubber with textile insert and additional stable HDPE board.  
Size: 60x90x60 cm  
Scope of delivery: 1x swing chair: rubber, steel, plastic-coated steel cable, HDPE suspension height: 200-250 cm







# 「Carousels」



**Roundabout with seats Jupiter  
Ø 200 cm**

**Info box**

Minimum space:	Ø 600x280 cm
Free falling height:	45 cm
Impact protection net:	28,5 m <sup>2</sup>
Foundations:	1x CF

**5 56 071 0      Stainless steel**



**Stand-up & seat carousel  
Tethys Ø 110 cm**

**Info box**

Minimum space:	Ø 400x220 cm
Free falling height:	40 cm
Impact protection net:	13,0 m <sup>2</sup>
Foundations:	1x CF

**5 56 086 0      Steel galv., HPL, stainless steel**








### Integration carousel Basis Ø 175

<b>Info box</b>	
Minimum space:	574x574x240 cm
Free falling height:	60 cm
Impact protection net:	23,5 m <sup>2</sup>
Foundations:	1x CF
<b>5 64 009 0</b>	<b>Stainless steel, HPL</b>



Also suitable for public areas!



Integrate Wheelchair users into the game



### Integration carousel

<b>Info box</b>	
Minimum space:	Ø 673x244 cm
Free falling height:	80 cm
Impact protection net:	36,0 m <sup>2</sup>
Foundations:	1x CF
<b>5 64 003 0</b>	<b>Stainless steel</b>







### Satellite carousel

#### Info box

Minimum space:	Ø 540x258 cm
Free falling height:	50 cm
Impact protection net:	23,0 m <sup>2</sup>
Foundations:	1x CF

5 55 130 0 Steel



### Turrtabel Saturn Ø 200 cm

#### Info box

Minimum space:	Ø 800x235 cm
Free falling height:	70 cm
Impact protection net:	50,5 m <sup>2</sup>
Foundations:	1x CF

5 56 087 0 Steel galv., stainless steel, rubber



### Stand-up roundabout Uranus Ø 115 cm

#### Info box

Minimum space:	Ø 515x330 cm
Free falling height:	17 cm
Impact protection net:	22,0 m <sup>2</sup>
Foundations:	1x CF

5 56 069 0 Stainless steel



Rope: twisting and climbing, relaxing



Double swirl: use body strength



Climbing net: twisting and climbing, relaxing



Triple swirl open: use body strength




### Group roundabout Moon

#### Info box

Minimum space:	Ø 1011x370 cm
Free falling height:	120 cm
Impact protection net:	80,5 m <sup>2</sup>
Foundations:	1x CF

5 56 077 0 Stainless steel, PE, rope







# Seesaws & spring rockers



## balance Flower jumping plates

<b>Info box</b>	
Minimum space:	Ø 300x206 cm
Free falling height:	26 cm
Impact protection net:	7,5 m <sup>2</sup>
Foundations:	1x CF
<b>5 59 007 0</b>	<b>HPL</b>



## Wiggly snake

<b>Info box</b>	
Minimum space:	503x330x225 cm
Free falling height:	45 cm
Impact protection net:	15,0 m <sup>2</sup>
Foundations:	2x CF
<b>5 67 262 0</b>	<b>Stainless steel, HPL</b>




## Spring rocker Turtle

<b>Info box</b>	
Minimum space:	300x260x222 cm
Free falling height:	42 cm
Impact protection net:	7,0 m <sup>2</sup>
Foundations:	1x 5632280 + 1x CF
<b>5 67 229 0</b>	<b>HDPE</b>



## Spring rocker nest

<b>Info box</b>	
Minimum space:	420x263 cm (ØxH)
Free falling height:	85 cm
Impact protection net:	
Foundations:	1x CF



## Spring rocker Whale

<b>Info box</b>	
Minimum space:	300x260x222 cm
Free falling height:	42 cm
Impact protection net:	7,0 m <sup>2</sup>
Foundations:	1x 5632280 + 1x CF
<b>5 67 244 0</b>	<b>HDPE</b>





### Little Beetle spring rocker

#### Info box

Minimum space:	Ø 280x240 cm
Free falling height:	40 cm
Impact protection net:	6,5 m <sup>2</sup>
Foundations:	1x 5591600 + 1x CF or 1x 5632100 + 1x CF

5 59 809 0 Steel, PE



### Double spring rocker Grasshopper

#### Info box

Minimum space:	330x250x226 cm
Free falling height:	46 cm
Impact protection net:	7,5 m <sup>2</sup>
Foundations:	1x 5632280 + 1x CF

5 55 240 5 Steel, PE



### paradiso double spring rocker Dragonfly

#### Info box

Minimum space:	440x360x250 cm
Free falling height:	70 cm
Impact protection net:	12,5 m <sup>2</sup>
Foundations:	2x 5632280 + 2x CF

5 45 291 053 00 Robinia oiled



### paradiso integration seesaw

#### Info box

Minimum space:	700x410x310 cm
Free falling height:	130 cm
Impact protection net:	27,0 m <sup>2</sup>
Foundations:	1x CF

① 5 45 292 053 00 Robinia oiled  
5 45 292 063 00 Robinia natural



### Integration Seesaw metal

#### Info box

Minimum space:	556x406x237 cm
Free falling height:	57 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	1x CF

5 64 008 0 Powdered steel, HPL

Use only under supervision




### Multi-spring rocker Jumbo

#### Info box

Minimum space:	650x445x261 cm
Free falling height:	81 cm
Impact protection net:	26,5 m <sup>2</sup>
Foundations:	4x 5632280 + 4x CF

5 67 232 0 SW pi, HPL




### Multi-spring rocker Dolphin and Whales

#### Info box

Minimum space:	650x445x261 cm
Free falling height:	81 cm
Impact protection net:	26,5 m <sup>2</sup>
Foundations:	4x 5632280 + 4x CF

5 67 233 0 SW pi, HPL







# Additions



## paradiso three-level horizontal bar Albin

### Info box

Minimum space:	613x354x160 cm
Free falling height:	135 cm
Impact protection net:	17,5 m <sup>2</sup>
Foundations:	4x CF

- ① 5 45 015 053 06 Robinia oiled
- ② 5 45 015 063 00 Robinia natural



## active-station inclusion

### Info box

Minimum space:	525x440x380 cm
Free falling height:	-
Impact protection net:	-
Foundations:	-


5 54 041 0







Easy access for all children with disabilities thanks to the integrated wheelchair ramp.



**Jumping apparatus Jump R**

<b>Info box</b>	
Minimum space:	644x494x184 cm
Free falling height:	100 cm
Impact protection net:	-
Foundations:	-
<b>5 62 114 0</b>	<b>Steel galv., plastic, rubber granulate</b>

Includes mounting frame



**Floor trampoline Kids Tramp playground 150x150 cm**

<b>Info box</b>	
Minimum space:	394x394x100 cm
Free falling height:	<100 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	-
<b>5 62 100 0</b>	<b>Wire-reinforced belt material, steel springs, rubber granulate</b>



**Your benefits at a glance - playground:**

- \* suitable for playgrounds, GS certified (DIN EN 1176-1:2017)
- \* highest safety and quality standards
- \* suitable for use in non-supervised play areas
- \* promotes the development of coordination and motor skills
- \* vandal-proof thanks to the wire reinforced belt tissue
- \* hardly flammable jumping mat
- \* all components are heat and UV light resistant
- \* easy transport and installation, with instruction video
- \* 100% made in Germany for more than 50 years
- \* perfect for combination of several trampolines
- \* ideal for wheelchair users as well thanks to the rounded edges



**Floor trampoline Kids Tramp playground 200x200 cm**

<b>Info box</b>	
Minimum space:	544x544x100 cm
Free falling height:	<100 cm
Impact protection net:	25,0 m <sup>2</sup>
Foundations:	-
<b>5 62 101 0</b>	<b>Wire-reinforced belt material, steel springs, rubber granulate</b>

With its wire reinforced centre and edges, the jumping mat is highly vandal-proof. The trampoline is particularly suitable for non-supervised areas.





**art board All-weather,  
free-standing**

**Info box**

Minimum space:	142x14x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

5 45 644 5 SW pi




**unique creative station Wilne**

**Info box**

Minimum space:	173x198x240 cm
Free falling height:	-
Impact protection net:	-
Foundations:	4x CF or 4x PFs

- 5 25 020 011 00 SW pi
- 5 25 020 031 00 Larch nature
- ① 5 25 020 041 00 Larch GL, larch
- ② 5 25 020 041 06 Larch GL green, Larch

scratch resistant mirror for the very highest standards



easily accessible for wheelchair users



**paradiso  
play board Sound play**

**Info box**

Minimum space:	120x55x160 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

- ① 5 45 352 053 06 Robinia oiled
- 5 45 352 063 00 Robinia natural



**paradiso  
play panel Painting Board**

**Info box**

Minimum space:	145x55x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

- ① 5 45 353 053 06 Robinia oiled
- 5 45 353 063 00 Robinia natural




**paradiso  
play board Memorie**

**Info box**

Minimum space:	130x55x160 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

- ① 5 45 351 053 06 Robinia oiled
- 5 45 351 063 00 Robinia natural



**Elephant piano**

**Info box**

Minimum space:	90x14x102 cm
Free falling height:	-
Impact protection net:	-
Foundations:	-

5 45 220 0 SW pi, HPL

PLEASE ORDER SEPARATELY!



**2 upright posts for elephant piano**

5 45 221 5 SW pi





### Sound island Calypso

<b>Info box</b>	
Minimum space:	470x362x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

5 60 445 0 Powder-coated steel, stainless steel, HDPE



### Sound island Echo II

<b>Info box</b>	
Minimum space:	335x335x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

5 60 452 0 Powder-coated steel, plastic, HDPE



### Sound island Duet

<b>Info box</b>	
Minimum space:	439x412x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	3x CF

5 60 446 0 Powder-coated steel, stainless steel, HDPE



### Sound island Clappo

<b>Info box</b>	
Minimum space:	418x328x180 cm
Free falling height:	-
Impact protection net:	-
Foundations:	2x CF

5 60 450 0 Powder-coated steel, stainless steel, HDPE



### Sensory station Leap Stone

5 60 455 0 Galvanized steel, rubber



### Sensory station DJ Console

5 60 456 0 Powder-coated steel








**paradiso  
hammock Swing Fenia**

**Info box**

Minimum space: 567x390x280 cm  
 Free falling height: 71 cm  
 Impact protection net: 29,0 m<sup>2</sup>  
 Foundations: 2x CF

- ① 5 45 004 053 06 Robinia oiled
- ② 5 45 004 063 00 Robinia natural



**eibini Arena**

**Info box**

Minimum space: 298x149x212 cm  
 Free falling height: 32 cm  
 Impact protection net: -  
 Foundations: 4x CF

5 59 260 0 SW pi

**Ground fixing kit for eibini  
set of table and bench**

5 63 219 0 Steel



**Square timber table Spessart  
250 Integration**

**Info box**

Minimum space: 250x63x70 cm  
 Free falling height: -  
 Impact protection net: -  
 Foundations: -


① 5 60 020 0 SW pi

**Square timber bench Spessart  
with backrest 150**

② 5 60 015 0 SW pi

**Square timber bench Spessart  
150**

③ 5 60 016 0 SW pi



**Rock hammock**

**Info box**

Minimum space: 760x310 cm  
 Free falling height: 100 cm  
 Impact protection net: 23,6 m<sup>2</sup>  
 Foundations: 2x CF

5 55 651 0 Styrofoam, modelling matrix





Table height 45 and 72 cm

Table depth Ø 200 cm

①

Seat depth 40 cm

Seat height 45 cm

Seat height 25 cm



### paradiso seating group Noa

#### Info box

Minimum space:	300x290 cm
Free falling height:	-
Impact protection net:	-
Foundations:	13x CF

- ① 5 45 118 053 06 Robinia oiled
- ② 5 45 118 063 00 Robinia natural



②

sound for all senses



①



### paradiso sound play house Sinfonie

#### Info box

Minimum space:	530x500x280 cm
Free falling height:	35 cm
Impact protection net:	21,0 m <sup>2</sup>
Foundations:	6x CF

- ① 5 45 258 053 00 Robinia oiled
- ② 5 45 258 063 00 Robinia natural



15 parts!



①



### paradiso building set small

- ① 5 45 265 050 00 Robinia oiled
- 5 45 265 060 00 Robinia natural

22 parts!



①



### paradiso building set big

- ① 5 45 266 050 00 Robinia oiled
- 5 45 266 060 00 Robinia natural

30 parts!



①



### paradiso hollow block construction kit

- ① 5 45 275 050 00 Robinia oiled
- 5 45 275 060 00 Robinia natural



# Shop.eibe.de

Even more information and pictures for every product!




Easy navigation

Filter options for the product search

Helpful product suggestions

Detailed product data

Detailed product videos

Look for this sign:  
 Play equipment with inclusive play value

Descriptive product images

Planning-data for download as .dwg

Customised configuration

Practical planning aids


Helpful specialist consultant search

## Abbreviations and other interesting information

### Abbreviations in the catalogue

<b>SW:</b> softwood	<b>CF:</b> concrete foundation
<b>ROB:</b> robinia	<b>PFs:</b> prefabricated foundation
<b>GL:</b> glued-laminated timber	<b>small PFr:</b> prefabricated foundation
<b>PI:</b> pressure-impregnated	<b>round PFI:</b> prefabricated foundation
<b>RAL:</b> RAL quality mark for wood preservation agent	<b>large L:</b> length
<b>MDF:</b> medium density fibre-board	<b>W:</b> width
<b>HPL:</b> high-pressure laminate	<b>H:</b> height
<b>GFRP:</b> glass fibre reinforced plastic	<b>D:</b> diameter
<b>PP:</b> polypropylene	<b>steel galv.:</b> steel hot-dip galvanised
<b>VA:</b> stainless steel	<b>steel powder.:</b> steel galvanised and powder-coated
<b>PE:</b> polyethylene	<b>PES:</b> polyester
<b>PU:</b> polyurethane	<b>HDPE:</b> high density polyethylene
<b>PPM:</b> polypropylene multifill hydrocarbons	<b>EUC:</b> eucalyptus
<b>PAH:</b> polycyclic aromatic hydrocarbons	<b>FSC:</b> Forest Stewardship Council
<b>PA:</b> polyamide	
<b>PVC:</b> polyvinyl chloride	
<b>PH:</b> platform height	
<b>SH:</b> seat height	
<b>TH:</b> table height	

### An overview of the foundation levels



- 1 Prefabricated foundation
  - 2 Cast foundation
  - 3 Concrete floor plate
  - 4 Loose impact attenuation, e.g. sand
  - 5 Base layer, approx. 10 cm gravel
  - 6 Underground
  - 7 Impact attenuation tiles
- \*on request

### Impact attenuation


Examples of commonly used impact attenuating materials, depths and corresponding maximum free heights of fall.

Material1	Description (mm)	Minimum layer thickness 2 (mm)	Largest possible free falling height (mm)
Concrete / stone			< 600
Bitumen surfaces			< 600
Turf/topsoil			< 1000
***** AGWBL Kurztex:8			< 1500
Bark	chopped bark of softwood trees, 20 mm to 80 mm grain size	200 300	< 2000 < 3000
Woodchip	mechanically chopped wood (no wood materials), without bark and foliage share, 5 mm to 30 mm grain size	200 300	< 2000 < 3000
Sand or gravel <sup>3</sup>	0.2 mm to 2 mm grain size	200 300	< 2000 < 3000
***** AGWBL Kurztex:12	2 mm to 8 mm grain size	200 300	< 2000 < 3000
other materials or other layer thicknesses	as tested according to HIC (see EN 1177)		critical fall height as tested

\*1 Material carefully prepared for use on playgrounds  
 \*2 For loose bulk material, 100 mm must be added to the minimum depth to compensate for displacement  
 \*3 No silty or clay particles. Grain size may be determined using the screening procedure, such as EN 933-1.

### Impact zone

Overview of the required shock absorbing features in the impact area according to DIN EN-1176-1.



dotted line: impact zone without impact attenuation  
 continuous line: impact zone with impact attenuation

### Play values

 building, constructing	 observing, experimenting	 throwing, catching, batting, shooting, juggling
 running, climbing, jumping, dancing, romping, gymnastics, hand-over-hand climbing, crawling	 crafting, painting, designing	 role play
 meeting, playing, communicating	 touching, hearing, seeing, concentrating	 puzzles, threading beads, co-ordination
 playing with water, sand, mud or natural materials	 reading, writing, counting, arithmetic	 sorting, arranging, storing
 making music, singing, creating sounds	 balancing, rocking	 resting, relaxing

 Inclusion

**NOTE:** Protecting your personal data is our highest priority.  
 On [www.shop.eibe.co.uk/privacy-policy](http://www.shop.eibe.co.uk/privacy-policy) we fully inform you how we collect, use and process your data in accordance with the EU data protection regulations (EU-DSGVO).  
 On [www.eibe.co.uk/service/warranty](http://www.eibe.co.uk/service/warranty) you will find all about our warranties and the general terms under [www.shop.eibe.co.uk/general-terms-and-conditions](http://www.shop.eibe.co.uk/general-terms-and-conditions)





complete inspiration



eibe Produktion +  
Vertrieb GmbH & Co. KG  
Industriestraße 1  
D-97285 Röttingen  
Germany

Phone +49 9338 89-0  
Fax +49 9338 89-199

[eibe@eibe.de](mailto:eibe@eibe.de)  
[www.eibe.net](http://www.eibe.net)

